

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. In the abstract the phrase "quickly drive the pi-cell to its activated state," should be changed to --quickly drive the pi-cell to its activated state.--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JENNIFER T. NGUYEN whose telephone number is (571)272-7696. The examiner can normally be reached on Mon-Fri: 9:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe can be reached on 703-305-4709. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. T. N./

Application/Control Number: 09/766,130

Page 3

Art Unit: 2629

Examiner, Art Unit 2629

/Richard Hjerpe/

Supervisory Patent Examiner, Art Unit 2629